CONTENTS

Special Issue: Applied Theoretical Chemistry 1990. Part I

Preface ix
On the importance of theory in the future development of chemistry
P.-O. Löwdin (Gainesville, FL, USA) 1
The mutation of chemistry: the rising importance of ab initio computational techniques in chemical research
L. Schäfer (Fayetteville, AR, USA) 5
On nuclear motion and the definition of molecular structure
P.-O. Löwdin (Gainesville, FL, USA) 13
Quantum chemistry beyond the Born–Oppenheimer approximation
R.G. Woolley (Nottingham, UK) 17
The extremum method in quantum chemistry. Part II. Introduction to some applications
F.Liu (Wuhan, China) 47
Configuration-interaction method using bond localized orbitals as building blocks for macromolecules
O. Matsuoka (Tokyo, Japan) 67
Computer-assisted bilateral synthesis design: a status report
I. Ugi, J. Bauer, K. Bley, A. Dengler, E. Fontain, M. Knauer and S. Lohberger (Garching, Germany) 73
Electronegativity and hardness of molecular groups from the localized electronegativity group orbital (LEGO) and generalized exchange local spin density functional (LSD-GX) theories
R.J. Kostyk and M.A. Whitehead (Montreal, Que., Canada) 83
Recent developments in the quantum theory of organic polymers
J.J. Ladik (Erlangen-Nürnberg, Germany) 127
Conformationally induced double degenerate uneven sulfuranes
M. Loos and J.-L. Rivail (Vandoeuvre-les-Nancy, France), A. Kucsman (Budapest, Hungary) and I.G. Csizmadia (Toronto, Ont., Canada) 143
Current status of isomer enumeration of practical benzenoids
J.R. Dias (Kansas City, MO, USA) 155
An expert system for molecular structure elucidation based on spectral data
M.E. Elyashberg, V.V. Serov, E.R. Martirosyan, L.A. Zlatina, Yu.Z. Karasev, V.N. Koldashov and Yu.Yu. Yampolskiy (Moscow, USSR) 191
Theoretical study on the electronic states of CH_2^+
G. Theodorakopoulos and I.D. Petsalakis (Athens, Greece) 205
Doubly excited states of C_2, C_2^+, and C_2^{2+}
P.J. Bruna and J.S. Wright (Ottawa, Ont., Canada) 213
Photoelectron spectra of the six isomers of oxybispyridine
S.J. Dunne, L.A. Summers and E.I. Von Nagy-Felsobuki (Newcastle, N.S.W., Australia) 219
The π-electronic structure and spectra of the *p*-polyphenyls
N.D. Bofinger (Brisbane, Qld., Australia) and T.E. Peacock (St. Lucia, Qld., Australia) 235
New description of the substituent effect on electronic spectra by means of substituent constants. Part VII. Electronic spectra of substituted benzenes
B. Uno and T. Kubota (Gifu, Japan) 247
Electronic and hyperfine structures of hydrocarbon radical cations
S. Lunell, L.A. Eriksson and M.-B. Huang (Uppsala, Sweden) 263
An ab initio study of the structure and electronic spectrum of 1,2-dithiete and 1,2-dithiin
R. Cimiraglia (Pisa, Italy), J. Fabian (Dresden, Germany) and B.A. Hess, Jr. (Nashville, TN, USA) 287

CONTENTS

Special Issue: Applied Theoretical Chemistry 1990. Part I

Preface ix
On the importance of theory in the future development of chemistry
P.-O. Löwdin (Gainesville, FL, USA) 1
The mutation of chemistry: the rising importance of ab initio computational techniques in chemical research
L. Schäfer (Fayetteville, AR, USA) 5
On nuclear motion and the definition of molecular structure
P.-O. Löwdin (Gainesville, FL, USA) 13
Quantum chemistry beyond the Born–Oppenheimer approximation
R.G. Woolley (Nottingham, UK) 17
The extremum method in quantum chemistry. Part II. Introduction to some applications
F.Liu (Wuhan, China) 47
Configuration-interaction method using bond localized orbitals as building blocks for macromolecules
O. Matsuoka (Tokyo, Japan) 67
Computer-assisted bilateral synthesis design: a status report
I. Ugi, J. Bauer, K. Bley, A. Dengler, E. Fontain, M. Knauer and S. Lohberger (Garching, Germany) 73
Electronegativity and hardness of molecular groups from the localized electronegativity group orbital (LEGO) and generalized exchange local spin density functional (LSD-GX) theories
R.J. Kostyk and M.A. Whitehead (Montreal, Que., Canada) 83
Recent developments in the quantum theory of organic polymers
J.J. Ladik (Erlangen-Nürnberg, Germany) 127
Conformationally induced double degenerate uneven sulfuranes
M. Loos and J.-L. Rivail (Vandoeuvre-les-Nancy, France), A. Kucsman (Budapest, Hungary) and I.G. Csizmadia (Toronto, Ont., Canada) 143
Current status of isomer enumeration of practical benzenoids
J.R. Dias (Kansas City, MO, USA) 155
An expert system for molecular structure elucidation based on spectral data
M.E. Elyashberg, V.V. Serov, E.R. Martirosyan, L.A. Zlatina, Yu.Z. Karasev, V.N. Koldashov and Yu.Yu. Yampolskiy (Moscow, USSR) 191
Theoretical study on the electronic states of CH_2^+
G. Theodorakopoulos and I.D. Petsalakis (Athens, Greece) 205
Doubly excited states of C_2, C_2^+, and C_2^{2+}
P.J. Bruna and J.S. Wright (Ottawa, Ont., Canada) 213
Photoelectron spectra of the six isomers of oxybispyridine
S.J. Dunne, L.A. Summers and E.I. Von Nagy-Felsobuki (Newcastle, N.S.W., Australia) 219
The π-electronic structure and spectra of the *p*-polyphenyls
N.D. Bofinger (Brisbane, Qld., Australia) and T.E. Peacock (St. Lucia, Qld., Australia) 235
New description of the substituent effect on electronic spectra by means of substituent constants. Part VII. Electronic spectra of substituted benzenes
B. Uno and T. Kubota (Gifu, Japan) 247
Electronic and hyperfine structures of hydrocarbon radical cations
S. Lunell, L.A. Eriksson and M.-B. Huang (Uppsala, Sweden) 263
An ab initio study of the structure and electronic spectrum of 1,2-dithiete and 1,2-dithiin
R. Cimiraglia (Pisa, Italy), J. Fabian (Dresden, Germany) and B.A. Hess, Jr. (Nashville, TN, USA) 287

Electron correlation and solvation effects. Part 3. Influence of the basis set and the chemical composition on the solvation energy components evaluated with the quantum mechanical polarizable continuum model
F.J. Olivares del Valle (Badajoz, Spain), R. Bonaccorsi and J. Tomasi (Pisa, Italy) and R. Cammi (Parma, Italy) 295

A refined theoretical investigation of the hydrogen-electrode processes of an acidic hydrogen–oxygen fuel cell
T.-H. Tang, I.G. Csizmadia, L. Pataki, R.D. Venter and C.A. Ward (Toronto, Ont., Canada) 313

An energy and shape analysis along reaction paths of chemical reactions. The case of hydrogen–deuterium exchange
G.A. Arteca and P.G. Mezey (Saskatoon, Sask., Canada) 323

Theoretical studies of hydride transfer reactivity: transition structures and the origin of chemical reaction barriers
I.H. Williams and A.E. Pain (Bath, UK) 339

Ab initio investigation of the structure and reactivity of vinyl ethers
M. Leibovitch, A.J. Kresge, M.R. Peterson and I.G. Csizmadia (Toronto, Ont., Canada) 349

Substitution, addition and elimination reactions: a quantum chemical study of intermolecular complexes
R. Zahradník (Prague, Czechoslovakia) and B.A. Hess, Jr. (Nashville, TN, USA) 387

A theoretical study of Markovnikov and anti-Markovnikov protonation of olefines by HeH^+
W. Zhou and Y.-P. Cui (Tianjin, China) and T.-H. Tang (Toronto, Ont., Canada) 401

Structural investigation of protein kinase C inhibitors
D. Barak, M. Shibata and R. Rein (Buffalo, NY, USA) 419

Theory of a supercoil-induced *B–Z* transition in closed circular DNA
R. Majumdar, A. Lahiri and S. Sen (Calcutta, India) 431

Maximum electrostatic similarity between biomolecules optimizing both relative positions and conformations
F. Sanz, F. Manaut, J.A. Sanchez and E. Lozoya (Barcelona, Spain) 437

Author Index 447

Subject Index 448